

# Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 13485:2016 & EN ISO 13485:2016

This is to certify that:

Nordic Biomarker AB  
Vildmannavägen 1  
Umeå  
903 47  
Sweden

Holds Certificate Number:

**MD 786256**

and operates a Quality Management System which complies with the requirements of ISO 13485:2016 & EN ISO 13485:2016 for the following scope:

Design, development, manufacture, contract manufacture, and sale of in- vitro diagnostic reagents, calibrators, controls, and accessories for use in haemostasis diagnostics.

For and on behalf of BSI:

Graeme Tunbridge, Senior Vice President Medical Devices

Original Registration Date: 2023-07-21

Latest Revision Date: 2024-01-30

Effective Date: 2024-03-06

Expiry Date: 2027-03-05

Page: 1 of 2



...making excellence a habit.™

Certificate No: **MD 786256**

Location

Nordic Biomarker AB  
Vildmannavägen 1  
Umeå  
903 47  
Sweden

Nordic Biomarker AB  
Ebbegatan 9  
Linköping  
582 13  
Sweden

Registered Activities

Design, development, manufacture, contract manufacture, and sale of in- vitro diagnostic reagents, calibrators, controls, and accessories for use in haemostasis diagnostics.

Design, development, manufacture, and contract manufacture of in- vitro diagnostic reagents, calibrators, controls, and accessories for use in haemostasis diagnostics.



Original Registration Date: 2023-07-21

Latest Revision Date: 2024-01-30

Effective Date: 2024-03-06

Expiry Date: 2027-03-05

Page: 2 of 2

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract.

An electronic certificate can be authenticated [online](#).

Printed copies can be validated at [www.bsigroup.com/ClientDirectory](http://www.bsigroup.com/ClientDirectory)

Information and Contact:

BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands | Tel: +31 20 3460 780

BSI Group The Netherlands B.V. is registered in The Netherlands under number 33264284 | A Member of the BSI Group Holdings B.V.